

DENSOFIL

INSTRUCTIONS FOR USE

Use: A low temperature thermal insulation material in putty form for contouring around complex shapes such as valves, flanges etc and filling cracks and cavities in preformed insulation sections. Can be used to seal the space between insulated pipes and ducts or service entries.

Not for use with absorbent insulating material.


Surface Preparation:

Surfaces must be clean, dry and dust free. Remove all loose rust, scale and flaking coatings by scraping, wire brushing or blast cleaning.

Priming:

Apply DENSO PASTE by gloved hand in a thin layer over the entire area to be covered.

Diagram of the correct application procedure



Application

(a) Valves, Flanges and fittings:

Pack and mould DENSOFIL around the fitting to give a smooth contour. Ensure that all metal surfaces are covered by a minimum thickness of 50mm. Overwrap with DENSO TAPE and smooth the entire area.

(b) Insulation Filter:

Pack cracks, cavities or damaged areas with DENSOFIL and smooth level with the insulation. Overwrap the repaired area with DENSO TAPE and smooth the entire area.

(c) Duct Sealing:

Pack DENSOFIL by hand into the annular space between the insulated pipe and the duct or sleeve pipe. Force in to a depth at least equal to the diameter of the sleeve or duct. For wall entries fill the sleeve or opening to the full thickness of the wall. Smooth the exposed surfaces and ensure there are no gaps.

DENSOFIL

INSTRUCTIONS FOR USE

Safety Data

- Storage:** Store correct way up in original packaging. Store away from direct heat and open flame.
- Transport:** No special precautions necessary.
- Handling:** Grease resistant gloves are advised to reduce skin contact.
Avoid contact with arms and face etc.
Wash thoroughly after use and before work breaks to remove compound from the skin.
Careful attention should be given to personal hygiene.
Change and clean soiled clothing.

Action in case of

- Fire:** Extinguish with dry powder, carbon dioxide or chemical foam.
Air breathing equipment may be necessary in case of a large fire.
- Skin contact:** Wash with warm water and mild soap.
- Eye Contact:** Irrigate eyes thoroughly with clean water.
- Inhalation:** Not applicable.
- Swallowing:** Obtain medical advice if necessary.
- Spillage:** Not applicable.
- Disposal:** Incineration or approved dumping.



Certificate No. FM 01548
BS EN ISO 9001:2008



Winn & Coales (Denso) Ltd, Denso House, Chapel Road, London SE27 0TR
Tel: 020 8670 7511 ● Fax: 020 8761 2456 ● Email: mail@denso.net ● Web: www.denso.net

A Member of Winn & Coales International