


INSTRUCTIONS FOR USE

- Use:** A low temperature thermal insulation material in putty form for contouring around complex shapes such as valves, flanges etc and filling cracks and cavities in preformed insulation sections. Can be used to seal the space between insulated pipes and ducts or service entries. Not for use with absorbent insulating material.
- Surface Preparation:** Surfaces must be clean, dry and dust free. Remove all loose rust, scale and flaking coatings by scraping, wire brushing or blast cleaning.
- Priming:** Apply DENSO PASTE[™] by gloved hand in a thin layer over the entire area to be covered.

Diagram of correct application procedure



Application:

- (a) Valves, Flanges and Fittings:** Pack and mould DENSOFIL[™] around the fitting to give a smooth contour. Ensure that all metal surfaces are covered by a minimum thickness of 50mm. Overwrap with DENSO TAPE[™] and smooth the entire area.
- (b) Insulation Filter:** Pack cracks, cavities or damaged areas with DENSOFIL and smooth level with the insulation. Overwrap the repaired area with DENSO TAPE and smooth the entire area.
- (c) Duct Sealing:** Pack DENSOFIL by hand into the annular space between the insulated pipe and the duct or sleeve pipe. Force in to a depth at least equal to the diameter of the sleeve or duct. For wall entries fill the sleeve or opening to the full thickness of the wall. Smooth the exposed surfaces and ensure there are no gaps.

DENSOFIL™

INSTRUCTIONS FOR USE

Safety Data

- Storage:** Store correct way up in original packaging.
Store away from direct heat and open flames.
- Transport:** No special precautions necessary.
- Handling:** Grease resistant gloves are advised to reduce skin contact.
Avoid contact with face, arms, etc.
Wash thoroughly after use and before work breaks to remove compound from the skin.
Careful attention should be given to personal hygiene.
Change and clean soiled clothing.
- Action in case of:**
- Fire:** Extinguish with dry powder, carbon dioxide or chemical foam.
Air breathing equipment may be necessary in large fires.
- Skin contact:** Wash with warm water and mild soap.
- Eye contact:** Irrigate eyes thoroughly with clean water.
- Inhalation:** Not applicable.
- Swallowing:** Obtain medical advice if necessary.
- Spillage:** Not applicable.
- Disposal:** Please minimise or avoid waste wherever possible. Please do not discard waste material, including packaging, in the surrounding environment. Follow all relevant legislation for disposal.

IMPORTANT:

Winn & Coales (Denso) Ltd pursue a policy to develop and continually improve all of our products and therefore information given in these instructions for use is intended as a general guide and does not constitute a warranty, specification or risk assessment. Instructions for use are intended to provide sufficiently detailed information to achieve successful installation in normal circumstances. These guidelines may not cover all circumstances; however, our sales personnel are committed to assisting the user in establishing the suitability of the product for its intended purpose and additional specific information, advice and training (including Safety Data Sheets) is available. It is strongly recommended that installation is conducted with due regard to Health and Safety using a safe system of work, including risk assessments and method statements, in accordance with relevant local statutes and regulations. Equipment used for installation must be suitable for the intended use, maintained in a safe condition, inspected for signs of deterioration, and used by competent personnel. Any conflict between these guidelines and the specific project specifications must be resolved by the user before work commences. All rights reserved.



WINN & COALES (DENSO) LTD

Denso House, Chapel Road, London, United Kingdom
TEL: +44 (0) 208 670 7511 • EMAIL: mail@denso.net

WEB: www.denso.net

A MEMBER OF WINN & COALES INTERNATIONAL



PUB No. 297.06.1990